


Innovation is our heritage EST. 1896







Low Volt GLS - Clear (INC)

TU 25A1/CL/E27 24V GE 1/10/100 MIH 35178

Product information

GE incandescent lamps trace their ancestry to the world's first practical electric bulb, invented by Thomas Alva Edison, founder of General Electric Company, in 1879.

Available in all shapes and sizes, they offer particular qualities of light to suit specific applications.

From March 2009 a new regulation has been adopted in all EU countries. Inefficient non-directional lamps will be phased ut gradually from the EU market starting from september 2009. Please click on the individual product to find out whether it is already phased out and can be sold outside of the EU only.



Low Volt GLS - Clear (INC) TU 25A1/CL/E27 24V GE 1/10/100 MIH 35178

Product data

Product Code	35178
Bulb Shape	GLS
Bulb Finish	Clear
Bulb Diameter [mm]	60
Maximum Overall Length [mm]	106
Net weight per piece [g]	31
Gross weight per piece [g]	42
Dimmability	Yes
Brand	GE Lighting
Cap/Base	E27

Performance data

Electrical data

Rated power [W]	25.0
Nominal power [W]	25.0
Nominal lamp voltage [V]	24



Low Volt GLS - Clear (INC) TU 25A1/CL/E27 24V GE 1/10/100 MIH 35178

Logistic data

DUN Code	00043168351782
EAN Code	0043168351782
Pack Quantity	100
Inner pack type	BX
Outer pack type	ОВ
Layer quantity EUR	600
Layer quantity UK	600
Pallet quantity EUR (PC)	3000
Pallet quantity UK (PC)	3000
Outer case size	598x308x226mm
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Lighting design tools & calculators (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

